



“Gizi COVID-19 Bagi Remaja” Application as A COVID-19 Prevention

Duwi Sulistiani¹, Sri Ratna Rahayu^{2✉}, Ari Yuniastuti³, Aufena Nur Ayu Merzistya²

Histology Departement Medical Faculty, Universitas Diponegoro, Indonesia

Article Info

Article History:

Submitted October 2020

Accepted February 2021

Published July 2021

Keywords:

COVID-19, Nutrition, Android Application, Research & Development, Adolescents

DOI

<https://doi.org/10.15294/kemas.v17i1.26843>

Abstract

Adolescents are a vulnerable group in fulfilling nutrition for body defence as an effort to prevent COVID-19. Nutrition education is needed for adolescents to increase their knowledge of nutrition consumption. One of the models to improve nutrition knowledge used the Android-based smartphone nutrition application model. This research aimed to design and develop a nutrition android application model to increase adolescents' nutritional knowledge in the prevention of COVID-19. The method used Research & Development with four stages: the analysis stage, the design stage, the development stage, and the testing stage. This research produced the “Gizi COVID-19 Bagi Remaja” as a nutrition application android-based with 3 main menus, namely BMI and calories checking, nutrition info, and COVID-19 info. The N-Grain test results show that this application effectively increases nutritional knowledge in 10 high school-adolescents (N-Grain=88.21%). The Android-based “Gizi COVID-19 Remaja” application is expected to be a comprehensive media for adolescents nutrition education during the COVID-19 pandemic in Indonesia to prevent the transmission of COVID-19.

Introduction

More than 200 countries in the world have experienced the COVID-19 problem. The total number of COVID-19 cases until October 5th, 2020, were 34,804,348 instances exposed to the coronavirus, cumulative cases with 1,030,738 deaths (WHO, 2020). Indonesia is one of the countries with the highest number of cases in the world. Recorded until October 8th, 2020, Indonesia's confirmed cases were 320,564 cases with 11,580 deaths and 244,060 recoveries. The four provinces with the highest Indonesia cases are DKI Jakarta, East Java, West Java, and Central Java. Central Java contributed to 25,259 cases (NDMA, 2020). One of the areas with the highest cases in Central Java is Semarang City. A total of 8,808 confirmed cases with 817 deaths in Semarang City until October 9th, 2020 (Dinas Kesehatan Kota Semarang, 2020).

The high number of COVID-19 cases requires prevention efforts. One of them is the fulfilment of nutrition. Nutrition plays a role in shaping the immune system's work and reducing risk factors for COVID-19 (Ausrianti et al., 2020). The immune system against viruses must be strengthened by eating nutritious foods, physical activity, and always happy thinking (Kemenkes, 2020). Nutritious eating contains vitamins A, B, C, D, E, omega three fatty acids, and minerals such as selenium, zinc, iron, copper, and vegetable and animal protein (He et al., 2020).

Adolescents are one of the nutritionally vulnerable groups, where they are vulnerable to high nutritional needs for growth, lifestyle, and diet and are vulnerable to environmental influences (Devine & Lawlis, 2019; Forthing, 1991; Perry-Hunnicuft & Newman, 1993). A study found that adolescents currently do not

✉ Correspondence Address:
Public Health Department, Universitas Negeri Semarang, Indonesia
Email: sriratnarahayu@mail.unnes.ac.id

meet the criteria for a nutritionally balanced diet and causes obesity in adolescents (Rouhani et al., 2014). The consumption pattern of adolescents who do not meet balanced nutrition is caused by a lack of knowledge about nutrition (Wang et al., 2014). Therefore, there is a need for nutrition education for adolescents. One of the strategies for changing behaviour is providing information through health promotion. Health promotion will increase public knowledge, and then awareness will arise and cause them to behave by their understanding (Laverack, 2017).

Technology in the communication process is always developing. According to data from the Indonesia Central Statistics Agency (in Bahasa Indonesia: Badan Pusat Statistik, BPS) 2018, 39.9% of Indonesia's population has accessed the internet. The high use of the internet in Indonesia reflects society's openness to technological developments (BPS, 2018). One of the fastest-growing mobile communication technologies in society is smartphones (Nasution et al., 2017). A study found that the highest number of smartphone users per month was 15-25 years old, 85.6%. On average, they surf the internet and send messages (Akanferi et al., 2014). The high use of smartphones among young people can be used

as a media for health promotion, especially for improving adolescent nutrition in preventing COVID-19. This study aimed to design and develop educational media and Android-based applications to increase adolescent knowledge about nutrition in preventing COVID-19.

Method

The method used in this research was Research & Development (R&D), referring to Gall's technique (Gall et al., 1983). This study applied four main stages, including the analysis stage, design stage, development stage, and testing stage. The four-stages of this study are presented in Figure 1.

The first main stage was the analysis stage. We began by looking for literature studies and gathering information to strengthen the product's design to be produced. It includes reviewing literature about mobile systems, android application, COVID-19 prevention, and nutrition, especially for adolescents. Need analysis has software functional analysis and software interface design. This stage to meet user needs (targets). Besides, this process was conducted by finding and reviewing information about the tools being developed. The second stage is the design stage, which is modelling object-oriented software development. The




FIGURE 1. Research diagram of Nutrition Android Application Model

modelling used UML (Unified Modeling Language) to facilitate developers in coding the software being developed. At the design stage, we made flowcharts, storyboards, and interface designs. A flowchart was a comprehensive depiction of the program flow created with a specific symbol to provide an overview of the flow and process path of software to comfortable users to understand. The storyboard is the graphic organizer in the form of illustrated images displayed sequentially for visualization purposes.

The development process was undertaken by the design and planning described. In this process, we tested the feasibility of the experts related to this product, namely Nutritionist and Media Expert, through a desk evaluation to assess the feasibility of the draft model, both the basic feasibility of the concept and the suitability of the theory. From the results of expert validation, the draft application model was refined.

The next stage was preliminary field training, a trial for the application media of “Gizi COVID-19 Bagi Remaja” limited to users, namely high school adolescents. The purpose of this trial was to test the appropriateness of this application in increasing adolescent knowledge about nutrition as an effort to prevent COVID-19. We used a pre-experimental

method with a one-group pretest-posttest design on ten adolescents in one of the High School in Semarang City, aged 16-19 years. The instrument used was the application media for the “Gizi COVID-19 Bagi Remaja” as media for intervention and pre-post to measure the level of knowledge and the effectiveness of media use in increasing adolescent nutritional understanding. Data were analyzed using the Paired Sample T-Test and N-Grain Score Test. After that, we revised the product according to the results of the trials conducted.

Results and Discussion

This research resulted in a product in the form of a Nutrition Android Application specifically intended for adolescents to control their nutritional needs and help increase their daily nutritional needs during the current pandemic.

The Development of “Gizi COVID-19 Bagi Remaja” Mobile Application

“Gizi COVID-19 Bagi Remaja” is an android-based nutrition application that was developed to make it easier for teenagers to find information about ideal nutrition for adolescents as well as to provide education in preventing COVID-19 through fulfilling nutrition. This educational application was designed to be as simple, easy, and attractive as




FIGURE 2. Use Case Diagram Flowchart of “Gizi COVID-19 Bagi Remaja” Applicati

possible to be operated by teenagers of school age. In today's technological era, teenagers spend more and more time with their gadgets, especially smartphones (Kim, 2013). Especially with the current COVID-19 pandemic, all school children in Indonesia were required to do online learning, forcing them to deal with gadgets and more time to study independently at home. With the development of nutrition education media in preventing COVID-19 through this application, it is hoped that it can help increase knowledge and information about adolescent nutrition and the prevention of COVID-19. Such technology can be applied to various programs because it can provide favourable execution in learning and understanding concepts (Harjunowibowo et al., 2015).

Figures 2 and 3 presents a flowchart on operating the "Gizi COVID-19 Bagi Remaja" application. The flowchart illustrates the main menu consisting of 3 menus, namely 1) BMI and Calories, 2) Information media about COVID-19, and 3) information media about nutrition. All main menus can return to the initial menu (extend), which is included in the first menu, namely the BMI and calorie

calculator. There is the second menu (include) sub-menus, namely the causes of COVID-19, signs and symptoms, the spread of the coronavirus, prevention of COVID-19, and the coronavirus's defence in various objects. The third menu contains (include) energy, macronutrients, micronutrients, nutraceuticals, and comorbidities. After finishing the menu, the user can return to the nutrition info sub-menu and return to the main menu.

"Gizi COVID-19 Bagi Remaja" Mobile Application

This Android Nutrition application displays 3 main menus, namely: 1) Check Body Mass Index (BMI) and Calories, 2) Media Information about COVID-19, and 3) Recommendations for Management of COVID-19 Nutritional Therapy. A splash page will appear when the application is opened, as shown in Figure 4a.

When opening the application, the initial display will appear the title, image, university logo, and researcher's name. Next, 3 main menus will be displayed, seen in Figure 4b. Users can view the contents of the menu by pressing the image button on the menu. In general, this media component is displayed on




FIGURE 3. Class Diagram Flowchart of "Gizi COVID-19 Bagi Remaja" Application

the main menu; there are BMI and calories, information media about COVID-19 and information media about nutrition.

When the user selects and presses the “*BMI dan Kalori*” menu button, then a sub-menu will be displayed for calculating the user’s BMI and calories, as in Figure 4c. The initial menu presents the gender, age, height, weight, activity, and desire. Height is filled in centimetres (cm), and body weight is entered in kilograms (kg), which is the unit of measurement commonly used in Indonesia. This measurement of height and weight is for calculating BMI. In the “*Aktivitas*” sub-menu, there are various activities in relaxing activities, light, moderate, high, and very high activities. Users can choose one according to the action at that time.

Furthermore, the sub-menu “*Ingin*” is a sub-menu that presents several goals that the user wants to achieve in terms of body weight. Some of these options include losing weight, gaining weight, and maintaining weight. After the data is filled in, the calculation results will appear regarding the Basal Metabolic Rate (BMR), Total Daily Energy Expenditure (TDEE), and Body Mass Index (BMI). Calculation results can be saved and viewed again in the “*Lihat Riwayat*” menu.

In the BMI measurement, we applied BMI adjusted for the adolescent’s age and sex or called the adjusted-BMI (Adj-BMI). This calculation is used in the application media that we have developed because it is proven to have a reasonable correlation with adiposity (National Health and Medical Research Council, 2013; Todd et al., 2015). Besides, BMI is an essential indicator of nutritional status and nutritional needs, such as micronutrients (Sumarmi et al., 2017). The World Health Organization (WHO) recommends screening children for overweight and obesity using BMI measurements because BMI correlates with body fat and is easy to apply (Clemente et al., 2011; WHO, 2021). Many studies have measured BMI as an indicator in determining children in the under, normal, overweight, and obese categories and linking them to various variables related to nutrition. As in the research of Eker et al., who used the measurement of BMI in children to determine the prevalence of obesity among boys and girls.

From his research results, the BMI value in boys is higher than girls (3.32 kg/m²) (Eker et al., 2018). Similarly, the study by Buscemi et al. Linked changes in BMI to desire and calorie intake. The results found a relationship between changes in food craving and BMI changes that varied depending on the change in calorie intake (Joanna Buscemi et al., 2017). It explains that BMI is an essential indicator in determining nutritional status. Even in the conditions of the COVID-19 pandemic, obesity is a risk factor for COVID-19 infection and worsening disease if COVID-19 infection occurs (CDC, 2020). Besides, BMI is used in determining health policy (Nuttall, 2015).

In the second main menu, “*Media Informasi tentang COVID-19*” presented in Figure 4d, there is information about COVID-19 presented in the menu. This sub-menu aims to provide information to teenagers about all general matters about COVID-19 and the efforts that can be made to prevent it so that their knowledge increases. The menus, including COVID-19’s cause, signs and symptoms, the spread of the coronavirus, COVID-19 prevention, and the defence of the COVID-19 viruses in various objects. If the user presses the COVID-19 spread menu, it will explain the causes of COVID-19 in a brief, clear, and easily understood way for teenagers. Likewise, the sub-menu of signs and symptoms of eating will explain the signs and symptoms of COVID-19 that are often encountered, along with pictures to make them attractive and easily understood by teenagers as users. The COVID-19 prevention menu contains an explanation of preventing transmission of the coronavirus and the correct cough etiquette. The coronavirus defence sub-menu in various objects, including plastic, paper, glass, wood, iron, cardboard, gloves, aluminium, copper, and air, the virus survives.

Figure 4e is the main menu of “*Rekomendasi Penatalaksanaan Terapi Nutrisi COVID-19*” where information media about nutrition and recommendations on COVID-19 nutritional therapy management. The menu explains energy, macronutrients, micronutrients, nutraceuticals, and comorbidities. At the energy point, it contains any food that has life. The next issue is a



FIGURE 4. Nutrition Android Application Display; (a) splash page (front view); (b) the main menu includes checking Body Mass Index (BMI) and Calorie, COVID-19 information, and recommendations for managing COVID-19 nutritional therapy; (c) display BMI and Calorie check; (d) COVID-19 information display; (e) recommendations for managing COVID-19 nutritional therapy display.

macronutrient, which is about animal protein sources and vegetable protein sources. Furthermore, at the micronutrient point, there is an explanation of vegetables and waste containing vitamins (A, B, C, D, E, and K), including zinc, selenium, and calcium. Point nutraceutical contents regarding whole foods, food products, and ingredients in food. And the last point is comorbid/congenital disease that can exacerbate the condition if exposed to COVID-19. Click the back menu to go to the

previous menu.

Experts Validation

The validity of the instrument or model developed is obtained from expert judgment or, in other terms, is content validation. The reliability test of the android application model for nutritional problems uses the reliability of observations or by finding the coefficient of agreement among observers. The following table shows the results of the validation assessment by experts.

TABLE 1. The results of the validation of the Nutrition Android Application by experts

Expert	Evaluation result
Nutritionists	The nutritionist's validation assessment was 83.87%, and it was included in the good criteria.
Media Expert	The media expert's validation assessment was 92.8%%, and it was included in the good criteria.

TABLE 2. The results of pre and post-test, the effect, and the effectiveness on increasing nutritional knowledge in adolescents (N=10)

	Mean	Correlation (p-value)	p-value	N-Grain Score (%)		
				Mean	Min.	Max.
Pre-Test	6.40	0.11	<0.01	88.21	66.67	100
Post-Test	15.80					

Application Trial

This tool was tested on high school-adolescents to analyze and evaluate this application's usefulness according to its purpose, namely as an educational medium to increase adolescents' nutritional knowledge to prevent COVID-19. We conducted this trial on ten high school-adolescents. Adolescents who participate were aged 16-19 years and had a smartphone with the Android operating system. This trial was carried out by giving a pre-test and post-test in the form of questions related to nutritional measurement and those available in the application "Gizi COVID-19 Bagi Remaja". A pre-test was given before the application was installed and operated by them. After completing the pre-test, they were invited to use the application with guidance and direction from us. When they understood and finished using the application, a post-test was given to them. These pre and post-test aimed to measure the increase in knowledge about adolescent nutrition before and after being given the nutrition application media.

The test results are presented in Table 2. Based on these results, the ten adolescents' mean pre-test score is 6.40, while the post-test average score is 15.80. However, there was no difference between the pre-test, and post-test variables, which can be seen from the p-value on correlation (0.11) was more than 0.05. The p-value is known to be <0.01. It can be concluded that there was an average

difference between the pre-test and post-test results, which means that there was an effect of providing educational media based on the android application "Gizi COVID-19 Bagi Remaja" in increasing nutritional knowledge in adolescents.

Based on the results of the N-Grain test in Table 2, it is known that the average N-Grain score of 10 high school-adolescents was 88.21%. If the N-Grain score is above 75%, it is categorized as an effective medium or product. It means that providing educational media in the form of the application "Gizi COVID-19 Bagi Remaja" effectively increased nutritional knowledge in high school adolescents. The minimum score for the N-Grain score for adolescents was 66.67, while the maximum score was 100.

Provision of nutrition education through the application "Gizi COVID-19 Bagi Remaja" in the trial proved to affect increasing nutritional knowledge of high school adolescents positively. Adolescent knowledge on nutrition and prevention of COVID-19 increased after being given intervention with this application. The practical and attractive design makes it easy for adolescents to operate the application and understand their nutritional needs more. Interventions such as nutrition education are recommended to improve adolescent nutritional status (Hill et al., 2020; Kroeze et al., 2006; Oenema et al., 2001; Pérez-Rodrigo & Aranceta, 2001; Story et al., 2002). Adolescents

who lack knowledge of nutritional needs lead to uncontrolled food intake into the body so that it will be easy for malnutrition and obesity. During this pandemic, obesity is a significant concern because obesity is a risk factor for the severity of COVID-19 and increases death likelihood (Cuschieri & Grech, 2020). So, knowledge of nutrition must be given to adolescents from an early age to avoid obesity in the future. Previous research stated that misinformation and knowledge were related to people's healthy diets (Dickson-Spillmann & Siegrist, 2011).

This android-based application product, "Gizi COVID-19 Bagi Remaja" is an educational medium developed with a design that is attractive to teenagers, easy, and practical to use. Android-based development is carried out because, currently, technological developments are increasingly advanced and fast. Smartphones with Linux-based operating systems specifically for mobile devices are like a mobile phone technology proliferating (Ibrahim & Ishartiwi, 2017). The use of Android as the operating system used in Indonesia has grown to 92.14% as of August 2020 and dominates the smartphone market (Statista, 2020). The choice of Android as the operating system is due to its ease of use. This android operating system is open source and has a vast opportunity to develop applications. Research conducted by Horace H. Dedue shows that Indonesia ranks fifth in the list of the world's largest smartphone users (Azmi et al., 2017). The highest number of smartphone users per month is in the 15-25 year age group (85.6%) (Akanferi et al., 2014).

"Gizi COVID-19 Bagi Remaja" application as an educational medium for solving research problems, especially in nutrition for the prevention of COVID-19, is an innovation by the target group's characteristics. Adolescence is a transition period to adulthood, where reaching a healthy adult requires adequate nutritional intake. Nutrition plays an essential role in this process. Malnutrition in adolescents is often associated with child growth, cognitive maturation, impaired intellectual intelligence, and behavioural problems. Not only that, the risk of contracting both infectious and non-communicable diseases will be greater (Onyango, 2013; Salam et al., 2020). Even a

systematic review study concluded that not half of the adolescents, especially girls in low and middle-income countries, have a balanced intake of foods such as milk, fruit, meat, and vegetables and do not meet the WHO dietary guidelines. (Keats et al., 2018).

In the current state of the COVID-19 pandemic, the use of online platforms among adolescents is more intensive and is increasing by about five hours per day compared to before the COVID-19 pandemic (Pietrobelli et al., 2020). They will stare more at the screen to play games, access social media, and do lessons. It can raise concerns for their mental and physical health. Reduced physical activity in children and increased consumption of light to heavy metals are associated with grown children's weight (Cuschieri & Grech, 2020; Marsh et al., 2013). Pietrobelli's research found that since the COVID-19 pandemic occurred, children's exercise activities decreased significantly 2-4 hours per week. There was a correlation with changes in exercise activity, changes in the amount of food consumed per day, and screen time changes. Boys had more food consumption per day than girls (Pietrobelli et al., 2020).

Given these conditions, the application "Gizi COVID-19 Bagi Remaja" will help children increase their knowledge of nutrition. The high intensity of using online platforms to smartphones in adolescents will be favourable if this application is included in their activities. It is hoped that the easy use of the application "Gizi COVID-19 Bagi Remaja" can be applied by all adolescents, especially adolescents, to improve healthy behaviour, especially in COVID-19 conditions. Even so, parental assistance is still needed, in using smartphones and this application. Parents' role is essential in fulfilling children's nutrition and choosing children's food (Cohen et al., 2020; Fadare et al., 2019). Parents can use this application to study together with children so that children are more interested in learning the menus in the application "Gizi COVID-19 Bagi Remaja". Besides, parents can monitor and explain the application to children.

The research limitation is that the application "Gizi COVID-19 Bagi Remaja" has been developed and tested on adolescents and has proven to increase adolescent nutrition

knowledge. Still, this application is only created with the android operating system. A smartphone/device with an operating system other than Android cannot install and operate this application. It is hoped that we can register this application on Google Playstore so that all teenage smartphone users can use this application easily.

Conclusion

The development of an android-based product in the form of the “Gizi COVID-19 Bagi Remaja” application has been proven effective in increasing adolescent nutrition knowledge as an ongoing effort to prevent COVID-19. The “Gizi COVID-19 Bagi Remaja” application was developed in 3 main menus, namely checking BMI and calories, nutritional information, and COVID-19 information that is friendly to use for adolescents can become an android-based educational media. This application is expected to be used on a broader and comprehensive scale for all adolescents by registering on the Google Playstore and available for all operating systems so that high smartphone use in adolescents positively impacts this nutritional health education insert.

Acknowledgement

Our gratitude goes to the Ministry of Research, Technology, and Higher Education of the Republic of Indonesia, who has provided research funding assistance, so this research was carried out. We thanked nutritionists and media experts who have provided critical suggestions for developing the products we produced.

References

- Akanferi, A. A., Kwami Aziale, L., & Asampana, I. (2014). An Empirical Study on Mobile Phone usage among Young Adults in Ghana: From the Viewpoint of University Students. *International Journal of Computer Applications*, 98(5), 15–21. <https://doi.org/10.5120/17178-7273>
- Ausrianti, R., Andayani, R. P., Surya, D. O., & Suryani, U. (2020). Edukasi Pencegahan Penularan Covid 19 serta Dukungan Kesehatan Jiwa dan Psikososial pada Pengemudi Ojek Online. *Jurnal Peduli Masyarakat*, 2(2), 59–64. <https://doi.org/10.37287/jpm.v2i2.101>
- Azmi, M., Joebagio, H., & Suryani, N. (2017). Studi Pendahuluan Pengembangan Aplikasi Smartphone Sebagai Alternatif Media Pembelajaran Sejarah. *Vidya Karya*, 31(1), 57–63. <https://doi.org/10.20527/jvk.v31i1.3974>
- BPS. (2018). *Statistik Telekomunikasi Indonesia 2018*. Badan Pusat Statistika.
- CDC. (2020). *Obesity and COVID-19*. Obesity. <https://www.cdc.gov/obesity/data/obesity-and-covid-19.html>
- Cohen, J. F. W., Rimm, E. B., Davison, K. K., Cash, S. B., McInnis, K., & Economos, C. D. (2020). The role of parents and children in meal selection and consumption in quick service restaurants. *Nutrients*, 12(3), 1–12. <https://doi.org/10.3390/nu12030735>
- Cuschieri, S., & Grech, S. (2020). COVID-19: a one-way ticket to a global childhood obesity crisis? *Journal of Diabetes and Metabolic Disorders*, 2027–2030. <https://doi.org/10.1007/s40200-020-00682-2>
- Devine, A., & Lawlis, T. (2019). Nutrition and vulnerable groups. *Nutrients*, 11(5), 9–12. <https://doi.org/10.3390/nu11051066>
- Dickson-Spillmann, M., & Siegrist, M. (2011). Consumers’ knowledge of healthy diets and its correlation with dietary behaviour. *Journal of Human Nutrition and Dietetics*, 24(1), 54–60. <https://doi.org/10.1111/j.1365-277X.2010.01124.x>
- Dinas Kesehatan Kota Semarang. (2020). *Information on Coronavirus (COVID-19) in Semarang*.
- Eker, H. H., Taşdemir, M., Mercan, S., Mucuz, M., Bektemur, G., Sahinoz, S., & Ozkaya, E. (2018). Obesity in adolescents and the risk factors. *Turkish Journal of Physical Medicine and Rehabilitation*, 64(1), 37–45. <https://doi.org/10.5606/tftrd.2018.1402>
- Fadare, O., Amare, M., Mavrotas, G., Akerele, D., & Ogunniyi, A. (2019). Mother’s nutrition-related knowledge and child nutrition outcomes: Empirical evidence from Nigeria. *PLoS ONE*, 14(2), 1–17. <https://doi.org/10.1371/journal.pone.0212775>
- Forthing, M. C. (1991). Current eating patterns of adolescents in the United States. *Nutrition Today*, 26(2), 35–39.
- Gall, M. D., Borg, W. R., & Gall, J. P. (1983). *Educational Research an Introduction: Third Edition*. Pearson Education.
- Harjunowibowo, D., Jamaluddin, S., Hartati, R. A., Yuana, A., & Ahmadi, B. F. (2015). Linear Vector Quantization Algorithm for Pattern Recognition on Paper Currency’s Feature

- Using UV Light. *Advanced Science Letters*, 21(10), 3151–3155.
- He, J., Wu, B., Chen, Y., Tang, J., Liu, Q., Zhou, S., Chen, C., Qin, Q., Huang, K., Lv, J., Chen, Y., & Peng, D. (2020). Characteristic Electrocardiographic Manifestations in Patients With COVID-19. *Canadian Journal of Cardiology*, 36(6), 966.e1-966.e4. <https://doi.org/10.1016/j.cjca.2020.03.028>
- Hill, C. R., Blekkenhorst, L. C., Radavelli-Bagatini, S., Sim, M., Woodman, R. J., Devine, A., Shaw, J. E., Hodgson, J. M., Daly, R. M., & Lewis, J. R. (2020). Fruit and vegetable knowledge and intake within an Australian population: The ausdiab study. *Nutrients*, 12(12), 1–17. <https://doi.org/10.3390/nu12123628>
- Ibrahim, N., & Ishartiwi, I. (2017). Pengembangan Media Pembelajaran Mobile Learning Berbasis Android Mata Pelajaran Ipa Untuk Siswa Smp. *Refleksi Edukatika : Jurnal Ilmiah Kependidikan*, 8(1). <https://doi.org/10.24176/re.v8i1.1792>
- Joanna Buscemi, Rybak, T. M., Berlin, K. S., Murphy, J. G., & Raynor, H. A. (2017). Impact of food craving and calorie intake on body mass index (BMI) changes during an 18-month behavioral weight loss trial. *Journal of Behavioral Medicine*, 40(4), 565–573. <https://doi.org/10.1007/s10865-017-9824-4>. Impact
- Keats, E. C., Rappaport, A. I., Shah, S., Oh, C., Jain, R., & Bhutta, Z. A. (2018). The dietary intake and practices of adolescent girls in low-and middle-income countries: A systematic review. *Nutrients*, 10(12). <https://doi.org/10.3390/nu10121978>
- Kemenkes. (2020). Guidelines for the Prevention and Control of Coronavirus Disease (Covid-19). In *Germas*. Kementerian Kesehatan RI.
- Kim, H. (2013). Exercise rehabilitation for smartphone addiction. *Journal of Exercise Rehabilitation*, 9(6), 500–505. <https://doi.org/10.12965/jer.130080>
- Kroeze, W., Werkman, A., & Brug, J. (2006). A systematic review of randomized trials on the effectiveness of computer-tailored education on physical activity and dietary behaviors. *Annals of Behavioral Medicine*, 31(3), 205–223. https://doi.org/10.1207/s15324796abm3103_2
- Laverack, G. (2017). The Challenge of Behaviour Change and Health Promotion. *Challenges*, 8(2), 25. <https://doi.org/10.3390/challe8020025>
- Marsh, S., Ni Mhurchu, C., & Maddison, R. (2013). The non-advertising effects of screen-based sedentary activities on acute eating behaviours in children, adolescents, and young adults. A systematic review. *Appetite*, 71(September), 259–273. <https://doi.org/10.1016/j.appet.2013.08.017>
- Nasution, J. A., Neviyarni, N., & Alizamar, A. (2017). Motif Siswa memiliki Smartphone dan Penggunaannya. *JPPI (Jurnal Penelitian Pendidikan Indonesia)*, 3(2), 15. <https://doi.org/10.29210/02017114>
- National Health and Medical Research Council. (2013). *Clinical Practice Guidelines for the Management of Overweight and Obesity in Adults, Adolescents and Children in Australia*. National Health and Medical Research Council.
- NDMA. (2020). *Distribution Map*. <https://covid19.go.id/peta-sebaran>
- Nuttall, F. Q. (2015). Body mass index: Obesity, BMI, and health: A critical review. *Nutrition Today*, 50(3), 117–128. <https://doi.org/10.1097/NT.0000000000000092>
- Oenema, A., Brug, J., & Lechner, L. (2001). Private cloud set up using eucalyptus open source. *Health Education Research*, 16(6), 647–660. https://doi.org/10.1007/978-3-642-33941-7_35
- Onyango, A. W. (2013). Promoting healthy growth and preventing childhood stunting: A global challenge. *Maternal and Child Nutrition*, 9(S2), 1–5. <https://doi.org/10.1111/mcn.12092>
- Pérez-Rodrigo, C., & Aranceta, J. (2001). School-based nutrition education: lessons learned and new perspectives. *Public Health Nutrition*, 4(1a), 131–139. <https://doi.org/10.1079/phn2000108>
- Perry-Hunnicuft, G., & Newman, I. M. (1993). Adolescent dieting practices and nutrition knowledge. *Health Values: The Journal of Health Behaviour, Education & Promotion*, 17(4), 35–40.
- Pietrobelli, A., Pecoraro, L., Ferruzzi, A., Heo, M., Faith, M., Zoller, T., Antoniazzi, F., Piacentini, G., Fearnbach, S. N., & Heymsfield, S. B. (2020). Effects of COVID-19 Lockdown on Lifestyle Behaviors in Children with Obesity Living in Verona, Italy: A Longitudinal Study. *Obesity*, 28(8), 1382–1385. <https://doi.org/10.1002/oby.22861>
- Rouhani, M. H., Salehi-Abargouei, A., Surkan, P. J., & Azadbakht, L. (2014). Is there a relationship between red or processed meat intake and obesity? A systematic review and meta-analysis of observational. *Obesity Reviews*, 15(9).
- Salam, R. A., Das, J. K., Ahmed, W., Irfan, O.,

- Sheikh, S. S., & Bhutta, Z. A. (2020). Effects of Preventive Nutrition Interventions among Adolescents on Health and Nutritional Status in Low and Middle-Income Countries: A Systematic Review and Meta-Analysis. *Nutrient*, 12(1).
- Statista. (2020). *Market share of mobile operating systems in Indonesia from January 2012 to August 2020*. <https://www.statista.com/statistics/262205/market-share-held-by-mobile-operating-systems-in-indonesia/>
- Story, M., Lytle, L. a, Birnbaum, A. S., & Perry, C. L. (2002). Feasibility and Process Evaluation of the TEENS Study. *Journal of School Health*, 72, 121–127.
- Sumarmi, S., Puspitasari, N., & Melianiani, S. (2017). The Body Size and Micronutrients Status Among the Bride-To Be in Probolinggo District of East Java. *Jurnal Kesehatan Masyarakat*, 13(1), 50–58.
- Todd, A. S., Street, S. J., Ziviani, J., Byrne, N. M., & Hills, A. P. (2015). Overweight and obese adolescent girls: The importance of promoting sensible eating and activity behaviors from the start of the adolescent period. *International Journal of Environmental Research and Public Health*, 12(2), 2306–2329. <https://doi.org/10.3390/ijerph120202306>
- Wang, D., Stewart, D., Chang, C., Ji, Y., & Shi, Y. (2014). Effect of interventions to improve adolescents' nutrition knowledge in china. *Health Education*, 114(5), 322–330. <https://doi.org/10.1108/HE-11-2013-0058>
- WHO. (2020). Coronavirus Disease (COVID-19). In *Situation Report* (Issue October). <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports>