



## STUDENT MISCONCEPTION ON REDOX TITRATION (A CHALLENGE ON THE COURSE IMPLEMENTATION THROUGH COGNITIVE DISSONANCE BASED ON THE MULTIPLE REPRESENTATIONS)

H. R. Widarti<sup>1</sup>, A. Permanasari<sup>2</sup>, S. Mulyani<sup>3</sup>

<sup>1</sup>Universitas Negeri Malang, Indonesia

<sup>2,3</sup>Universitas Pendidikan Indonesia, Bandung, Indonesia

DOI: 10.15294/jpii.v5i1.5790

Accepted: 23 January 2016. Approved: 28 March 2016. Published: April 2016

### ABSTRACT

The misconception is one of the obstacles in the concept mastery that needed to be minimalized. This descriptive study was conducted to find the patterns of misconceptions which have occurred on college students who participating in the redox titration course subject. Efforts to minimize misconceptions have been conducted through lectures using the multiple representations with the cognitive dissonance strategies on the 30 students who joined the Fundamentals of Analytical Chemistry course. The research instrument used in this study was 6 multiple-choice tests with reasons. In order to detect the misconception, Certainty of Response Index technique was performed. The preliminary study results showed that 34.30% of students experiencing the misconceptions on redox titration. After treatments, the misconceptions reduced to 28.17%. A misconception that cannot be eliminated was related to the concepts involving in the microscopic and symbolic appearances.

© 2016 Science Education Study Program FMIPA UNNES Semarang

**Keywords:** e-learning, ICT literacy, Project based learning, Teaching and learning process

### INTRODUCTION

Redox Titration is one of the conventional methods of quantitative chemical analysis. The study material on redox titration is closely related to the concept of the redox titration that has been studied by students in high school level. In the higher education level, the concept of redox and titration are studied in the course of Basic Chemistry. The redox titration is deeply studied by students in the course of Fundamentals of Analytical Chemistry. The study material on redox titration discusses about the concepts, types, and application of redox titration. Although the students have learned the concept of redox, there are many students who do not properly understand the study materials related to the redox titration. Some students are even experiencing the misconceptions.

Misconceptions that occur in students is one significant factor that plays a role in inhibiting the understanding of the concept. The misconception is the inconsistency of the understanding between the views of students and scientists (Louga et al., 2013). In line with Berg (1991), the misconceptions occur when students are not in accordance with the experts' conception. Likewise that proposed by Driver et al. in Pinarbasi et al. (2009), it said that the misconception was an inconsistency or incompatibility of the students' conceptions with the scientific conception. Most of the students have had its own ideas about chemical concepts that have been acquired in high school before they enter higher education in college. This circumstance sets the students opinion to often relate less precise relationship between their newly acquired knowledge with their prior knowledge. Therefore, it raises the new understanding that is not in accordance with the expect-

\*Alamat korespondensi:

Email: hayuniretno64@gmail.com

tations of experts. The students' everyday experience, their creativity, their perception, and some textbooks can lead to the misconceptions. According to Louga et al. (2013) the students who have a good understanding of concepts could build a meaningful understanding in the colligative properties. Eymur et al. (2013) reported that the teacher-candidate students had the same misconceptions with students. The misconceptions itself was difficult to be removed through learning. A teacher needs to implement appropriate learning strategies to identify and to reduce the misconceptions. The misconceptions that allowed passing through would be fatal and would be very harmful because it can affect learning outcomes.

Several researches on the chemistry misconceptions in chemistry have been identified by experts. Pinarbasi (2007) reported that students had a number of common misconceptions on the topic of acids and bases. Almost all the students managed to equalize the equation, but they could not draw the molecular diagrams to explain the equations in submicroscopic correctly. Moreover, the students' experience in the previous study influenced the material conception of the reaction equilibrium. Al-Balushi et al. (2012) reported that 12 grade students had difficulty in answering the questions related to visual representation. Redox material misconception had been experienced by students, for example: they had a difficulty on distinguishing the definition of the oxygen and electrons transfer, they often experience an error in the determination of the oxidation number of the element or compound, they did not knowing the key concept of oxidation and its relation to the concept of charge; and also they had a difficulty on how to apply the equalization to equalize the redox reactions. Misconceptions are commonly found in chemistry materials of study prior to inadequate teaching media. Misconceptions on redox titration will affect the students in the understanding and application of redox titration. Their misconceptions on redox titration may also disrupt the formation of a scientific conception of students in other study materials. Therefore, misconceptions on redox titration material in the

course of Fundamentals of Analytical Chemistry must be addressed immediately.

In order to identify the occurrence of misconceptions, a certainty of response index (CRI) scale technique was conducted, which has been modified from Hasan et al. (1999). CRI is a degree of certainty of the students to answer the questions. In this research, there were two instruments used, i.e. multiple-choice test and the level of confidence (CRI). The use CRI technique was able to distinguish the differences among a well-known concepts, unknown concepts and misconceptions. CRI scale used in the study was modified from Hasan et al. (1999). The four scale (1-4) with details 1 = guessing, 2 = less confident, 3 = confident, and 4 = very confident. Low CRI value (1-2) showed the lack of confidence of students to answer questions. High CRI value (3-4) showed high confidence of students to answer questions. Uncertainty of students to answer the questions was caused by the lack of confidence in students. Kurbanoglu & Akin (2010) stated that students who master the concept properly will have a high confidence. The students who answered the question with a lower CRI value (1-2) shows that these students do not understand the concept. High CRI value (3-4) showed that students have the confidence in answering questions. It indicates that the student can master the concept of theory. Criteria for low and high CRI answers are shown in table 1.

There was a modification on CRI value criteria set by Hasan et al. (1999), since it could emerge the alternative answers by students; even it is only few answers. The reason is because of Indonesian students tends to be less confident in giving the reasons on the given answers. By this reason, a possible answer by those kinds of students is a correct answer with a correct reason but with a low level of confidence. It means that the students understood the concepts well, but lack of confidence (Hakim et al., 2012).

The preliminary study on the titration by 38 students who joined the Fundamentals of Analytical Chemistry course had found the difficulty in understanding subject materials, especi-

**Table 1.** Criteria of misconceptions identification based on the CRI results (Hasan, 1999)

Answers criteria	Low CRI (1-2)	High CRI (3-4)
Correct answer	Correct answer with wrong reasons and low CRI is showing that they do not understand the concept ( <i>lucky guessing</i> )	Correct answer with correct reasons and high CRI is showing a concept mastery
Wrong answer	Wrong answer with wrong reasons and low CRI is showing the low understanding on concept	Wrong answer with wrong reasons and high CRI is showing that there is a misconception.

ally on the quantitative analysis of the material. Generally, based on the research on the students' answers, they were weak in mathematics literacy, and also weak in the ability to provide a relevant analysis of how to determine the choice of indicators in a titration (Widarti et al., 2014). It was highly associated with a lower ability of students in explaining the phenomenon through microscopic and symbolic approaches. Therefore, the descriptive study was conducted to determine the student misconceptions in redox titration study materials.

## METHOD

The method used in this study was a descriptive method with a form of case study research. Thirty subjects of Chemistry Education students in the third semester year 2014-2015 in State University of Malang were studied. They joined the Fundamentals of Analytical Chemistry course subject. The research instrument employed was a multiple-choice test with open answers in the end of each question to measure their redox titration concepts mastery. Six problems were given in the test. The reason given by students was a reflection of their thinking ability and their understanding on the concepts learned.

## RESULTS AND DISCUSSION


The results of preliminary study on the redox titration subject material found that there were 34.30% misconceptions. Some methods to overcome such misconceptions were to adjust the syllabus to the students thinking way, cognitive conflict, analogy, partner interaction, metacognition, and demonstrations. According to the Berg (1991) who stated that misconceptions could be addressed using an innovative model of lectures; for example, by using a variety of representations. Hand & Chio (2010) reported that multiple representations could give the positive impact on students' ability to construct the arguments in lab classes. Similarly, McDermott & Hand (2013) stated that the use of multiple representations to support the task of writing-to-learn could act as a pedagogical tool in enhancing the chemistry learning in schools. Domin & Bodner (2012) also reported that the use of multiple representations helped students in solving the problems in chemical concepts. Research on cognitive dissonance in chemistry through multiple representations have been made by Linenberger et al. (2012), who reported that the combination of representations to encourage students to try to

make the relationship between representation. In this study, the model of multiple representations associated with cognitive dissonance strategy has been implemented in the redox titration lecture materials. It was hoped that using this method, there was a change in the concept understanding.

Each student has a different understanding capacity and perception on the studied concept. These differences lead the students to have different levels of ability and misconceptions about the concept. In order to determine the student misconceptions in the redox titration material of study, a multiple-choice test was conducted with open answers and CRI. The distribution of the problem on the redox titration are shown in Table 2.

The percentage of students answer questions on redox titration of each item are shown in Table 3.

Problem number 1 was related to calculate the concentration of the redox titration which resulted in 66% of students had the misconceptions. Most of students used a dilution formula, which should not be needed in the titration. Besides, the students also did not write down the equation for the case, wrong in calculating the amount of the number of moles of  $\text{KMnO}_4$ . This was possible to happen since the students were not familiar with the concept of redox reactions. Examples of student answer can be seen in Figure 1.



**Figure 1.** The example of student answer on problem no 1

Problem number 2, 3 and 4 were related to interpreting the species and calculating the potential value (E) on the redox titration. Some students still had the misconceptions as much as 23%, 20%, and 14%, respectively. In question number 2, students answered that at the point K (10 ml  $\text{Ce}^{4+}$ ), the dominant species were  $\text{Fe}^{2+}$  dan  $\text{Ce}^{4+}$  as  $\text{Fe}^{2+}$  was previously appeared. The students believed that there was no  $\text{Fe}^{3+}$  formed in the solution. This problem was happened also in the problem number 3 where the students answered that at M point (addition of 80 ml  $\text{Ce}^{4+}$ ) there were only  $\text{Fe}^{2+}$  and  $\text{Fe}^{3+}$ . M point was the

**Table 2.** The distribution of redox titration problems


No	Problems
Calculating the Concentration on Redox Titration	
1	<p>Rina standardize the 10 mL <math>\text{KMnO}_4</math> solution with the 0,0500 M <math>\text{Na}_2\text{C}_2\text{O}_4</math> solution under acidic conditions in triplo. The volumes of <math>\text{Na}_2\text{C}_2\text{O}_4</math> solution needed are 12,50 mL; 12,56 mL; and 12,47 mL. What is the concentration of standard solution <math>\text{KMnO}_4</math>?</p> <p>a. 0.3128 M                      c. 0.0626 M  b. 0.1250 M                      d. 0.0250 M</p> <p>Reason/Explanation: <span style="float: right;">CRI:</span></p>
Interpreting the existing species and potential value (E) on the redox titration	
Problems no 2-4	
Redox titration graph 50 mL 0.100 M $\text{Fe}^{2+}$ ( $E^\circ \text{Fe}^{3+}/\text{Fe}^{2+} = 0.767 \text{ V}$ ) with a solution of 0.100 M $\text{Ce}^{4+}$ ( $E^\circ \text{Ce}^{4+}/\text{Ce}^{3+} = 1.70 \text{ V}$ ) is as follows:	
	<p>The graph plots potential E (Volt) on the y-axis against Volume <math>\text{Ce}^{4+}</math> (mL) on the x-axis. The x-axis has markers at 0, 50, and 100. The curve shows a sigmoidal increase in potential. Point K is at approximately 10 mL <math>\text{Ce}^{4+}</math> with a low potential. Point L is at 50 mL <math>\text{Ce}^{4+}</math> with a moderate potential. Point M is at approximately 80 mL <math>\text{Ce}^{4+}</math> with a high potential. A legend indicates the line represents E (Volt).</p>
2	<p>Based on the curve, what are the dominant species in the potential determination of solution in K point (10 mL addition of <math>\text{Ce}^{4+}</math>) and how much is the E value?</p> <p>a. <math>\text{Fe}^{2+}</math>, <math>\text{Ce}^{4+}</math> and <math>E = 0.73 \text{ V}</math>  b. <math>\text{Fe}^{2+}</math>, <math>\text{Fe}^{3+}</math> and <math>E = 0.73 \text{ V}</math>  c. <math>\text{Fe}^{3+}</math>, <math>\text{Ce}^{3+}</math> and <math>E = 0.78 \text{ V}</math>  d. <math>\text{Fe}^{2+}</math>, <math>\text{Fe}^{3+}</math> and <math>E = 0.78 \text{ V}</math></p> <p>Reason/Explanation: <span style="float: right;">CRI:</span></p>
3	<p>Based on the curve, what are the dominant species in the potential determination of solution in M point (80 mL addition of <math>\text{Ce}^{4+}</math>), and how much is the E value?</p> <p>a. <math>\text{Ce}^{3+}</math>, <math>\text{Ce}^{4+}</math> and <math>E = 1.67 \text{ V}</math>  b. <math>\text{Fe}^{2+}</math>, <math>\text{Fe}^{3+}</math> and <math>E = 1.67 \text{ V}</math>  c. <math>\text{Ce}^{3+}</math>, <math>\text{Ce}^{4+}</math> and <math>E = 1.69 \text{ V}</math>  d. <math>\text{Fe}^{2+}</math>, <math>\text{Fe}^{3+}</math> and <math>E = 1.69 \text{ V}</math></p> <p>Reason/Explanation: <span style="float: right;">CRI:</span></p>
4	<p>Based on the curve, what are the dominant species in the potential determination of solution in L point (50 mL addition of <math>\text{Ce}^{4+}</math>) and how much is the E value?</p> <p>a. <math>\text{Fe}^{2+}</math>, <math>\text{Fe}^{3+}</math>, <math>\text{Ce}^{3+}</math>, <math>\text{Ce}^{4+}</math> and <math>E = 1.23 \text{ V}</math>  b. <math>\text{Fe}^{2+}</math>, <math>\text{Fe}^{3+}</math>, <math>\text{Ce}^{3+}</math> and <math>E = 1.23 \text{ V}</math>  c. <math>\text{Fe}^{2+}</math>, <math>\text{Fe}^{3+}</math>, <math>\text{Ce}^{3+}</math>, <math>\text{Ce}^{4+}</math> and <math>E = 1.32 \text{ V}</math>  d. <math>\text{Fe}^{2+}</math>, <math>\text{Fe}^{3+}</math>, <math>\text{Ce}^{3+}</math> and <math>E = 1.32 \text{ V}</math></p> <p>Reason/Explanation: <span style="float: right;">CRI:</span></p>

**Table 2.** Continue

Identify the characteristics of the substances involved in redox titration	
5	Which statement is true in a redox titration... a. Titration of permanganometri requires the addition of an indicator to determine the titration end-point b. $Ce^{4+}$ ions are directly undergo on hydrolysis in a low-pH solutions c. $I_2$ is absorbed on the surface of $\alpha$ -amylose to produce blue color d. Iodide ion acts as a reductant in the iodometric titration Reason/Explanation: CRI:
Choosing the right type of redox titration to analyze samples	
6	Given some reduction potentials as follows: $Ce^{4+} + e \rightleftharpoons Ce^{3+}$ $E^\circ = 1.61$ V $MnO_4^- + 8H^+ + 5e \rightleftharpoons Mn^{2+} + 4H_2O$ $E^\circ = 1.51$ V $Cr_2O_7^{2-} + 14H^+ + 6e \rightleftharpoons 2Cr^{3+} + 7H_2O$ $E^\circ = 1.33$ V $Fe^{3+} + e \rightleftharpoons Fe^{2+}$ $E^\circ = 0.771$ V $I_2(aq) + 2e \rightleftharpoons 2I^-$ $E^\circ = 0.6197$ V What is the most suitable titration by using Fe? a. Permanganometry and iodometry b. Cerimetry dan iodometry c. Chromatometry dan permanganometry d. Permanganometry dan cerimetry Reason/Explanation: CRI:

**Table 3.** Distribution of student misconceptions on redox titration (n = 30)

Problems no	Misconceptions	Percentage of students
1	Did not write down the equation and applied a dilution formula	66
2	Mentioned in the K point (addition of 10 mL $Ce^{4+}$ ), the dominant species were $Fe^{2+}$ and $Ce^{4+}$ since $Fe^{2+}$ was previously mentioned	23
3	Mentioned in the M point (80 mL $Ce^{4+}$ ) there were only $Fe^{2+}$ dan $Fe^{3+}$ species	20
4	Mentioned in the L point (50 mL $Ce^{4+}$ ) there were only $Fe^{2+}$ , $Fe^{3+}$ , and $Ce^{2+}$ species, $Ce^{4+}$ had completely reacted.	14
5	Permanganometry required indicators	26
6	Did not count the number of E cells for the ongoing redox reactions	20
Average		28.17

**Figure 2.** The example of student answers on the problems no 2 (a), no 3 (b), and no 4 (c)

curve region over the equivalent point, the dominant species that involved in determining the potential value were  $Ce^{2+}$  dan  $Ce^{4+}$ . The similar thing happened in the problem number 4 where students confidently answered that at the L point, (50 ml  $Ce^{4+}$ ) there were only  $Fe^{2+}$ ,  $Fe^{3+}$ , and  $Ce^{2+}$ , and  $Ce^{4+}$  had completely reacted. In fact, at the equivalent point, the amount of  $Fe^{2+}$  was the same with  $Ce^{4+}$ . Both of them had the identical potential; therefore, the dominant species in the solution were  $Fe^{2+}$ ,  $Fe^{3+}$ ,  $Ce^{2+}$  and  $Ce^{3+}$ . All the answers impacted on the calculation of the solution, where students did not calculate the potential based on the reaction that occurs in solution but only suspect of the curve. Sample of answers are shown in Figure 2.

Problem number 5 was associated with the identifying characteristics of the substance involved in redox titration. There were 26% of students still had the misconceptions on this concept. There were some students who confidently answered that in the permanganometry,  $K_2Cr_2O_7$  was required as an indicator. In fact, in permanganometry, it is unnecessary to use an indicator since  $KMnO_4$  is already involved as an indicator (autoindicator). The example of student' answer related to the characteristics in redox titration is shown in Figure 3.

Problem number 6 was related to choose the right type of redox titration to analyze a sample. There were 20% of the students still had misconceptions in this concept. There was student who confidently answered without counting the E cell reaction that occurred. Students assumed that the most redox titration were permanganometry and iodometric. In fact, in redox titration, the occurrence of a reaction is conducted when the value of its cell potential is positive. The example of student' answers on question no 6 is shown in Figure 4.

From the tables and figures above, it shows that although a treatment was conducted on learning, it turned out that misconceptions could not diminished altogether. This phenomenon was in

line with the statement of the educational experts that misconception is very difficult to change through common learning. Based on the observations, the concept of an abstract nature, which requires a clear picture to understand, was the most difficult concept which has a big chance of a misconception. The results showed that the biggest case of misconceptions was related to the microscopic appearance of the ions in the process of titration, and also its symbolic equations during reactions. In the redox titration, the biggest misconception occurred in determining the concentration, and what are the dominant species that exist in the solution before the equivalent point, and also the characteristics of redox titration.

## CONCLUSION

The research results showed that misconceptions were still found on the particular redox titration lecture materials. The misconceptions were happened to concepts which involving calculations on concentration, equation, and species that exist in the solution in the titration process, and also the redox titration characteristics involving potential calculation. The preliminary studies showed 34.30% of students had the misconceptions on redox titration. Treatments that had been made to minimize these misconceptions could suppress it to the level of 28.17%. In the redox titration, the misconceptions that could not be eliminated were related to the concepts involving microscopic and symbolic appearances.

Based on the research findings, the developed learning strategy was quite appropriate to reduce the misconceptions but was unable to make "a zero misconception". This was understandable because of misconceptions could retain longer in the students and it was difficult to change. The follow-up activities were needed to allow the logical thinking of students in order to change their misconceptions into the facts. One strategy to anticipate the more complicated misconceptions was the discussion with students on




Figure 3. Example of student' answer on the problem number 5




Figure 4. The example of student' answer on question no 6

the topic before starting the lectures to know what misconceptions brought by the students. Subsequently, the remedial test and deep interview could be conducted to decrease the chance of complicated misconceptions.

### REFERENCES

- Al-Balushi, M., Ambusaidi, K.cA., and Al-Shuaiili, H. A., Taylor, N. (2012). Omani twelfth grade students' most common misconceptions in chemistry. *Science Education International*, 23(1), 221-240.
- Berg, E. (1991). *Miskonsepsi Fisika dan Remediasinya*. Salatiga: Universitas Kristen Satya Wacana.
- Domin, D. & Bodner, G. (2012). Using students' representations constructed during problem solving to infer conceptual understanding. *Journal Chemical Education*. 89(1), 837-843.
- Eymur, G., Cetin, P. & Geban O. (2013). Analysis of the alternative conceptions of preservice teachers and high school students concerning atomic size. 90(1), 976-980.
- Hakim, A., Liliyasi., & Kadarohman, A. (2012). Student understanding of Natural Product Concept of Primary and Secondary Metabolites Using CRI Modified. *International Online Journal of Educational Sciences*. 4(3), 544-553
- Hand, B. & Chio, A. (2010). Examining the impact of student use of multiple modal representations in constructing arguments in organic chemistry laboratory classes. *Res Sci Educ*. 40(29), 29-44.
- Hasan, S., Bagayoko, D., & Kelley, E. L. (1999). Misconceptions and The Certanty of Response Index (CRI). *Physics Education*. 34(5), 294-299.
- Kurbanoglu, N. I., & Akin, A. (2010). The Relationships between University Students' Chemistry Laboratory Anxiety, Attitudes and Self-Efficiency Beliefs. *Australian Journal of Teacher Education*. 35(18), 48-59.
- Linenberger, J. K. and Bretz, L. S. (2012). Generating cognitive dissonance in student interviews through multiple representations. *Chemical Education Research & Pracice*. 13(1), 172-178.
- Luoga, N. E., Ndunguru, A. P., & Mkoma, L. S. (2013). High school students' misconceptions about colligative properties in chemistry. *Tanzania Journal of Natural & Applied Sciences*. 4(1), 575-581.
- McDermott, A. M. & Hand, B. (2013). The impact of embedding multiple modes of representation-within writing tasks on high school students' chemistry understanding. *Instructional Science*. 41(1), 217-246.
- Nakhleh, M.B. & Krajcik, J.S. (1994). Influence of levels of information as presented by different Technologies on students. understanding of acid, base, and pH concepts. *Journal of Research in Science Teaching*. 34(1), 1077-1096.
- Pinarbasi, T. (2007). Turkish undergraduate students misconceptions on acids and bases. *Journal of Baltic Science Education*. 16(1), 23-34.
- Pinarbasi, T., Sozbilir, M., & Canpolat, N. (2009). Prospective chemistry teachers' misconceptions about colligative properties: Boiling point elevation and freezing point depression. *Chemistry Education Research and Practice*. 10(1), 273-280.
- Widarti, R.H., Permanasari, A., & Mulyani S. (2014). Analisis Kesulitan Mahasiswa Pada Perkuliahan Dasar-Dasar Kimia Analitik di Universitas Negeri Malang. Malang: Seminar SNKP